

SYSTEM CONFIGURATION GENERATE

CONFIGURATION OF TEST HEAD

NUMBER OF TEST HEAD [1,2]> ☐72☐8

CONFIGURATION OF TEST HEAD 1

TEST HEAD TYPE 1.650CH
2.1300CH [1,2]> ☐72☐8

PIN CONFIGURATION SLOT NO. [33,97,41,105]
CHILD A> ☐733,41,97,105☐8
CHILD B> ☐733,41,97,105☐8
CHILD C> ☐733,41,97,105☐8
CHILD D> ☐733,41,97,105☐8
CHILD E> ☐733,41,97,105☐8
CHILD F> ☐733,41,97,105☐8
CHILD G> ☐733,41,97,105☐8
CHILD H> ☐733,41,97,105☐8

PIN CONFIGURATION OPTION1 PIN CARD [Y,N]
CHILD A> ☐7YES☐8
CHILD B> ☐7YES☐8
CHILD C> ☐7YES☐8
CHILD D> ☐7YES☐8
CHILD E> ☐7YES☐8
CHILD F> ☐7YES☐8
CHILD G> ☐7YES☐8
CHILD H> ☐7YES☐8

PIN CONFIGURATION OPTION2 PIN CARD [Y,N]
CHILD AB ...> ☐7YES☐8
CHILD CD ...> ☐7YES☐8
CHILD EF ...> ☐7YES☐8
CHILD GH ...> ☐7YES☐8

CONFIGURATION OF TEST HEAD 2

TEST HEAD TYPE 1.650CH
2.1300CH [1,2]> ☐72☐8

PIN CONFIGURATION SLOT NO. [33,97,41,105]
CHILD A> ☐733,41,97,105☐8
CHILD B> ☐733,41,97,105☐8
CHILD C> ☐733,41,97,105☐8
CHILD D> ☐733,41,97,105☐8
CHILD E> ☐733,41,97,105☐8
CHILD F> ☐733,41,97,105☐8
CHILD G> ☐733,41,97,105☐8
CHILD H> ☐733,41,97,105☐8

PIN CONFIGURATION OPTION1 PIN CARD [Y,N]
CHILD A> ☐7YES☐8
CHILD B> ☐7YES☐8
CHILD C> ☐7YES☐8
CHILD D> ☐7YES☐8
CHILD E> ☐7YES☐8
CHILD F> ☐7YES☐8
CHILD G> ☐7YES☐8
CHILD H> ☐7YES☐8

PIN CONFIGURATION OPTION2 PIN CARD [Y,N]
CHILD AB ...> ☐7YES☐8

CHILD CD ...> ☐7YES☐8
CHILD EF ...> ☐7YES☐8
CHILD GH ...> ☐7YES☐8

CONFIGURATION OF DPU

1'ST DPU : STN 1,2 [Y,N]> ☐7YES☐8
2'ND DPU : STN 1,2 [Y,N]> ☐7YES☐8

TEST HEAD 1 DC CONFIGURATION [1-32]> ☐71-32☐8
10V PPS CONFIGURATION [1-64]> ☐71-32☐8
16V PPS CONFIGURATION [33-64]> ☐733-64☐8
HV PPS CONFIGURATION [1-4]> ☐71-4☐8

TEST HEAD 2 DC CONFIGURATION [1-32]> ☐71-32☐8
10V PPS CONFIGURATION [1-64]> ☐71-32☐8
16V PPS CONFIGURATION [33-64]> ☐7☐8
HV PPS CONFIGURATION [1-4]> ☐71-4☐8

1'ST GPIB I/F BOARD 0.NONE
1.BGR-010944X01
2.BGR-010944X02
3.BGR-010944X03
4.BGR-010944X04
5.BGK-012718 [0-5]> ☐75☐8

2'ND GPIB I/F BOARD 0.NONE
1.BGR-016793 (DPU I/F)
2.BGR-010944X05
3.BGK-012718X02 [0-3]> ☐71☐8

DMM TYPE 1.TR6861
2.R6871E
3.R6551
4.R6552T [1-4]> ☐73☐8

AC FREQUENCY (HERTZ) [50,60]> ☐760☐8

CONFIGURATION OF FM

NUMBER OF FM BOARD [0-4]> ☐74☐8

SIZE OF FM MODULE 1. 1M
2. 4M
3. 8M [1-3]> ☐72☐8

NUMBER OF MEMORY BANK [1-2]> ☐72☐8

NUMBER OF MEMORY BLOCK [1-4]> ☐74☐8

PATTERN MEMORY [Y,N]> ☐7YES☐8

SIZE OF PATTERN MEMORY BOARD 1. 36M
2. 144M
3. 288M [1-3] ...> ☐72☐8

FM BOARD KIND 1. BGR-020816
2. BGR-020816X02 [1-2]> ☐72☐8

CONFIGURATION OF MRA

MRA2/3 OPTION [Y,N]> ☐7NO☐8

CONFIGURATION OF FCDC

FLASH OPTION [Y,N]> ☐7YES☐8

SC BOARD KIND 1. BGR-020774
2. BGR-020774X02 [1-2]> ☐71☐8

☐

END SAVE

=

=

/LOG OFF

=
/DIGA /FILE DOES NOT EXIST : DIGA

=
/DIAG /G